

THIS PRINT SUPERSEDES ANY EARLIER DATE. DESTROY SAME




REVISIONS

REV	DESCRIPTION	DATE	APPROVED
1	RAISED LOCK SLOT UP .150	07/23/15	MJV
2	WIDENED LOCK SLOT BY .06	07/23/15	MJV
3	CLEANED UP, ADDED CUST SWITCH	07/02/18	MJV

CUSTOMER SUPPLIED

CUSTOMER SUPPLIED & WIRED

CUSTOMER CONNECTION



SEQUENCE OF OPERATION

1. Customer switch closes energizing ECU
2. ECU energizes glow plug for 10 seconds.
3. After glow plugs, engine cranks if NO START
4. ECU locks out on "NO START" will need to be reset by opening customer switch.
5. Customer switch opens, unit shuts down.

ITEM NO.	QTY.	DESCRIPTION	MATERIAL
PARTS LISTING			
DWG NO.	PROJECT NO.	DATE	PART NO.
UNLESS OTHERWISE SPECIFIED	APPROVALS	DATE	KUBOTA 2 WIRE START LAYOUT
Ø DIMENSIONS ARE IN INCHES	ISSUED	06/04/18	GL 16000
2 TOLERANCES ARE:	DESIGNED BY		
	MJV		
DECIMALS	CHECKED BY		
X ± .060	MJV		
JX ± .030	ISSUED TO/VERSION #		
XXX ± .010			
SURFACE FINISH	ANODES	DRY WEIGHT	WET WEIGHT
✓ MAX	± 1/2"		
THIS DRAWING, DESIGN AND DETAIL IS PROPERTY OF TOTAL ENERGY SYSTEMS. DUPLICATION OF THIS PRINT, PARTS, AND/OR INFORMATION CONTAINED WITHIN, IS STRICTLY PROHIBITED WITHOUT WRITTEN PERMISSION. ALL RIGHTS OF DESIGN OR INVENTION ARE RESERVED.			
TOTAL ENERGY SYSTEMS RESERVES THE RIGHT TO SUBJECT THIS DRAWING TO CHANGES WITHOUT PRIOR NOTICE.			
SCALE: NONE			SHEET 1 of 1